

# The Maiman Company is Committed to Green Building

# LEED

Leadership in Energy and Environmental Design

Maiman Doors can help you fulfill your Materials & Resources Project Requirements

Fulfilling each of these project requirements will earn 1 LEED Point

Materials & Resources Credit	Description	Project Requirements	Thermal Fused	Stile & Rail
4.1	Recycled Content  5% post-consumer or 10% post-consumer and post-industrial combined	Use materials such that post-consumer recycled content constitutes at least 5% of the total value of the materials in the project or combined post-consumer and half of the post-industrial recycled content constitutes at least 10%.  The value of the recycled content portion of a material or furnishing shall be determined by dividing the weight of the recycled content in the item by the total weight of all material in the item, then multiplying the resulting percentage by the total value of the item.  Mechanical and electrical components shall not be included in this calculation. Recycled content materials shall be defined in accordance with the Federal Trade Commission document, Guides for the Use of Environmental Marketing Claims, 16 CFR 260.7(e).	75% recycled/recovered content in Non-Rated and 20-Minute Rated Doors  SCS certified	55-70% recycled/recovered content in Non-Rated and 20-Minute Rated doors at least 30" x 80"  SCS certified
4.2	Recycled Content  10% post-consumer or 20% post-consumer and post-industrial combined	Use materials such that post-consumer recycled content constitutes at least 10% of the total value of the materials in the project or combined post-consumer and half of the post-industrial recycled content constitutes at least 20%.  The value of the recycled content portion of a material or furnishing shall be determined by dividing the weight of recycled content in the item by the total weight of all material in the item, then multiplying the resulting percentage by the total value of the item.  Mechanical and electrical components shall not be included in this calculation. Recycled content materials shall be defined in accordance with the Federal Trade Commission document, Guides for the Use of Environmental Marketing Claims, 16 CFR 260.7(e).	75% recycled/recovered content in Non-Rated and 20-Minute Rated Doors  SCS certified	55-70% recycled/recovered content in Non-Rated and 20-Minute Rated doors at least 30" x 80"  SCS certified
5.1	Regional Materials  20% manufactured regionally	Use a minimum of 20% of building material and products that are manufactured regionally within a 500 mile radius of the project  Manufacturing refers to the final assembly of components into the building product that is furnished and installed by the tradesmen. For example, if the hardware comes from Dallas, TX, the lumber from Vancouver, British Columbia and the joist is assembled in Kent, Washington; then the location of the final assembly is Kent, Washington.	Qualification will vary dependent on project location within 500 mile radius of Springfield, MO	Qualification will vary dependent on project location within 500 mile radius of Springfield, MO
6	Rapidly Renewable Materials	Use rapidly renewable building materials and products (made from plants that are typically harvested within a ten-year or shorter cycle) for 5% of the total value of all building materials and products used in the project.	Status Pending	Status Pending

To learn more about LEED accreditation and requirements, visit the US Green Building Council's website [www.usgbc.org](http://www.usgbc.org)